Chapter-1

INTRODUCTION OF HUMAN MICROBIOME

[1]Pooja kumari, [2]Manish Kumar

[1,2]Department of Medical Laboratory Technology and Biochemistry, School of Allied Health Sciences, SGT University, Gurugram, Haryana, India.

LEARNING OBJECTIVES

1. Define the human microbiome and microbiota and explain the differences between these two concepts, including their significance in human health.
2. Describe the composition and distribution of the human microbiome, including the major microbial groups (bacteria, fungi, viruses, archaea, and protozoa) and their presence in different body sites.
3. Explain the structure and functions of microbiomes at various body sites, including the oral, gut, skin, vaginal, urogenital, and nasal microbiomes.
4. Discuss the major physiological roles of the human microbiome, including its contributions to digestion, nutrient absorption, vitamin synthesis, immune regulation, pathogen protection, metabolism, and the gut–brain axis.
5. Identify the common beneficial microorganisms associated with different body sites and describe their role in maintaining health and preventing disease.
6. Analyze the factors that influence the composition and diversity of the human microbiome, including diet, age, antibiotics and other medications, lifestyle, and environmental exposures.
7. Explain the concept of microbial dysbiosis and discuss its association with infections, metabolic disorders, immune diseases, and other chronic health conditions.
8. Evaluate the importance of maintaining a healthy microbiome and recognize its potential applications in disease prevention, personalized medicine, and future therapeutic strategies.

1.1 INTRODUCTON

The human body is a complex ecosystem that supports not only human cells but also a vast and diverse population of microorganisms collectively known as the human microbiome. The term *human microbiome* refers to the complete collection of genetic material (genomes) of all microorganisms that inhabit the human body, including bacteria, fungi, viruses, archaea, and protozoa. [1] It is important to distinguish the microbiome from the term *microbiota*, which refers specifically to the microorganisms themselves rather than their genetic material or biological functions. [2] Therefore, the concept of the microbiome encompasses not only the microbial organisms but also their genes, metabolic products, and the complex interactions they establish with their human host. [3] The human microbiome is highly dynamic and varies considerably among individuals. Its composition is influenced by numerous factors, including age, genetics, dietary habits, lifestyle, environmental exposures, geographical location, medical history, and the use of medications such as antibiotics. [4] Despite these individual differences, researchers have identified a group of microorganisms that are consistently present in healthy individuals. This relatively stable group is referred to as the core microbiome, which plays a fundamental role in maintaining normal physiological functions and overall health. [5] Trillions of microorganisms colonize different regions of the human body, including the gastrointestinal tract, oral cavity, skin, respiratory tract, and urogenital system. [6] These microbial communities consist

predominantly of bacteria, but they also include fungi, viruses, archaea, and protozoa that coexist in a carefully regulated ecological balance. [7] The microbiome therefore represents not only the microorganisms inhabiting the body but also their collective genetic potential and the surrounding microenvironment that supports their survival and activity. [8] Over the past two decades, advances in molecular biology, particularly next-generation sequencing technologies and metagenomic analysis, have transformed our understanding of the human microbiome. These technologies have enabled scientists to identify microbial species that cannot be cultured using conventional laboratory techniques, revealing an extraordinary diversity of microorganisms and their functional capabilities. As a result, microbiome research has emerged as one of the fastest-growing fields in microbiology, medicine, and public health because of its profound influence on human physiology and disease development. [9] Historically, microorganisms were primarily viewed as harmful agents responsible for infectious diseases. However, modern scientific research has fundamentally changed this perception by demonstrating that the majority of microorganisms residing in the human body are either harmless or beneficial. [10] These commensal and mutualistic microorganisms perform numerous essential functions that are critical for maintaining health. They assist in the digestion of complex dietary components, synthesize essential vitamins such as vitamin K and certain B vitamins, regulate metabolic processes, protect the body against pathogenic microorganisms through competitive exclusion, and contribute to the development and regulation of the immune system. [11]

In addition, growing evidence suggests that the microbiome influences neurological function, mental health, and communication between the gut and the brain through the gut–brain axis. Maintaining a balanced microbial community is essential for normal physiological function. Disruption of this balance, a condition known as dysbiosis, has been associated with a wide range of disorders, including inflammatory bowel disease, obesity, diabetes, allergies, cardiovascular diseases, autoimmune disorders, and certain neurological conditions. Consequently, the human microbiome is now recognized as an indispensable partner in human health rather than a passive collection of microorganisms. [12] Understanding the composition, diversity, and functions of the human microbiome is therefore essential for developing novel preventive strategies, personalized therapies, and future medical interventions aimed at improving human health and well-being.

1.2 HISTORICAL BACKGROUND

The study of microorganisms began in the late seventeenth century with the pioneering work of Antonie van Leeuwenhoek, who is widely regarded as the father of microbiology. Using a handcrafted simple microscope, he became the first scientist to observe microscopic living organisms, which he referred to as "animalcules." His groundbreaking observations marked the beginning of microbiology and opened a new era in the understanding of the invisible microbial world. [13] For many centuries after these discoveries, microorganisms were primarily viewed as harmful agents responsible for infectious diseases. The development of the germ theory of disease during the nineteenth century, supported by the work of scientists such as Louis Pasteur and Robert Koch, further strengthened the association between microbes and disease-causing pathogens. Consequently, medical research focused mainly on identifying pathogenic microorganisms and developing methods to eliminate them through improved sanitation, vaccination, and antimicrobial therapies. [14] During the twentieth century, scientific understanding of microorganisms gradually evolved. Researchers began to recognize that not all microorganisms are harmful and that many live in close association with the human body without causing disease. Instead, these resident microorganisms often establish mutually beneficial, or symbiotic, relationships with their host. They contribute to essential physiological processes such as digestion, nutrient metabolism, immune system development, and protection against invading pathogens. [15] A major breakthrough in microbiome research occurred in the early twenty-first century with the introduction of advanced molecular techniques, particularly next-generation sequencing and metagenomic analysis. These technologies enabled scientists to identify microorganisms that could not be cultured using conventional laboratory methods, revealing the remarkable diversity and complexity of microbial

communities inhabiting the human body. International initiatives such as the Human Microbiome Project, launched in 2007, further accelerated research by systematically characterizing the microbial populations associated with healthy individuals and various diseases. Today, the human microbiome is recognized as a vital component of human biology and an important determinant of health and disease.

1.3 COMPOSITION OF THE HUMAN MICROBIOME

The human microbiome is an extraordinarily diverse and dynamic ecosystem composed of trillions of microorganisms that inhabit different regions of the human body. These microorganisms include bacteria, fungi, viruses, archaea, and protozoa, each contributing to the maintenance of normal physiological functions and overall health. The composition of the microbiome varies not only between individuals but also among different anatomical sites within the same individual, reflecting the unique environmental conditions, nutrient availability, pH, oxygen concentration, and immune responses present at each location. [16] Among all microbial groups, bacteria constitute the most abundant and extensively studied members of the human microbiome, with thousands of species identified through culture-independent molecular techniques. [17] Although the gastrointestinal tract harbors the largest microbial population, distinct microbial communities are also established on the skin, within the oral cavity, respiratory tract, and urogenital system, where they perform specialized biological functions. [18]

1.3.1 Oral Microbiome

The oral cavity contains one of the most complex and diverse microbial communities in the human body and is known as the oral microbiome. [19] It comprises bacteria, fungi, viruses, archaea, and protozoa together with their genetic material and the interactions they establish with oral tissues and the host immune system. The mouth provides an ideal environment for microbial colonization because it offers constant warmth, moisture, nutrients derived from food, and multiple ecological niches, including the teeth, tongue, cheeks, gums, palate, saliva, and tonsils. [20] The oral cavity is considered the second most diverse microbial habitat in the human body after the gastrointestinal tract. Hundreds of microbial species inhabit the mouth, and under healthy conditions, most exist in a balanced and mutually beneficial relationship with the host. These microorganisms contribute to oral homeostasis by preventing colonization by pathogenic microbes, supporting the initial stages of digestion, maintaining mucosal health, and stimulating local immune responses. [21] However, disruption of this microbial balance, a condition known as dysbiosis, may promote the development of oral diseases such as dental caries, gingivitis, periodontitis, and oral candidiasis. [22] The oral microbiome refers to the diverse community of microorganisms that inhabit the oral cavity, including bacteria, fungi, viruses, archaea, and protozoa. [23] These microorganisms colonize various surfaces of the mouth, such as the teeth, tongue, gums, cheeks, palate, tonsils, and saliva, where they exist in a dynamic equilibrium with the host. The oral cavity provides an ideal environment for microbial growth because of its constant warmth, moisture, nutrient availability, and multiple ecological niches. A healthy oral microbiome is essential for maintaining both oral and systemic health, as it contributes to several physiological processes and protects the oral cavity from disease. [24]




Figure: 1.1 Oral Microbiome

One of the primary functions of the oral microbiome is protection against harmful pathogens. Beneficial microorganisms prevent the colonization of pathogenic bacteria through a mechanism known as colonization resistance. They compete with harmful microorganisms for nutrients and attachment sites on oral tissues while producing antimicrobial substances, such as bacteriocins and hydrogen peroxide, that inhibit the growth of disease-causing microbes. These protective mechanisms help preserve the

microbial balance within the oral cavity and reduce the risk of oral infections. [25] The oral microbiome also plays a crucial role in maintaining oral homeostasis. Under normal conditions, beneficial microorganisms regulate the size and composition of the microbial population, helping to maintain a stable ecological balance within the mouth. They contribute to maintaining the normal pH of the oral environment, support the integrity of oral mucosal tissues, and interact with the local immune system to promote immune tolerance while limiting excessive inflammatory responses. [26] This balanced microbial ecosystem is essential for preserving healthy teeth, gums, and other oral tissues. Another important function of the oral microbiome is the prevention of periodontal diseases. Beneficial microorganisms suppress the excessive growth of pathogenic bacteria that contribute to inflammatory conditions affecting the supporting structures of the teeth. When the microbial balance is maintained, the risk of developing diseases such as gingivitis, characterized by inflammation of the gums, and periodontitis, a more severe condition involving destruction of the periodontal ligament and alveolar bone, is significantly reduced. [27] The oral microbiome also contributes to the early stages of digestion. The mouth is the first site where digestion begins, and oral microorganisms assist in the initial breakdown of food particles. They interact with salivary enzymes to facilitate the metabolism of dietary carbohydrates and other nutrients, thereby supporting the digestive process before food reaches the gastrointestinal tract. [28]

A healthy oral microbiome is composed of numerous beneficial microorganisms. Among the most common bacterial species are Streptococcus salivarius, Streptococcus mitis, Actinomyces species, and Neisseria species. [29] These microorganisms are considered important members of the normal oral flora and contribute to maintaining microbial balance, preventing pathogen colonization, and supporting oral health. Disruption of the normal oral microbial community, a condition known as oral dysbiosis, can have significant health consequences. Factors such as poor oral hygiene, excessive sugar consumption, smoking, antibiotic use, systemic diseases, and reduced saliva production can alter the composition of the oral microbiome. This imbalance increases the risk of oral diseases, including dental caries (tooth decay), gum diseases, oral candidiasis (oral thrush), and recurrent mouth ulcers. [30] Furthermore, emerging evidence suggests that oral dysbiosis may also contribute to systemic disorders, including cardiovascular disease, diabetes mellitus, respiratory infections, and adverse pregnancy outcomes. Therefore, maintaining a balanced oral microbiome through proper oral hygiene, a healthy diet, regular dental care, and healthy lifestyle practices is essential for both oral and overall health.

1.3.2 Skin Microbiome

The skin, the largest organ of the human body, serves as an extensive habitat for a wide variety of microorganisms collectively referred to as the skin microbiome. [31] The microbial composition of the skin differs considerably between body sites because of variations in moisture, temperature, sebum production, and environmental exposure [16,17]. Common bacterial genera found on healthy skin include *Staphylococcus*, *Cutibacterium* (formerly *Propionibacterium*), and *Corynebacterium.* [24] These microorganisms play essential roles in maintaining skin health by preventing colonization by harmful pathogens through competitive exclusion, producing antimicrobial compounds, regulating local immune responses, and preserving the integrity of the skin barrier. [32] A balanced skin microbiome is therefore crucial for protecting the body against infections and maintaining healthy skin function.




Figure: 1.2 Skin Microbiome

The skin microbiome refers to the diverse community of microorganisms that inhabit the surface of the skin, including bacteria, fungi, viruses, and microscopic mites. [33] As the largest organ of the human body, the skin provides a wide range of ecological niches that support microbial

colonization. These microorganisms exist in a mutually beneficial relationship with the host and form an essential component of the body's natural defense system. Under healthy conditions, the skin microbiome contributes significantly to maintaining skin integrity, preventing infections, regulating immune responses, and preserving overall skin health. One of the primary functions of the skin microbiome is protection against harmful pathogens. Beneficial microorganisms prevent the colonization and proliferation of pathogenic microbes through a process known as colonization resistance. They compete with harmful microorganisms for available nutrients and attachment sites on the skin surface while producing antimicrobial substances such as bacteriocins, fatty acids, and antimicrobial peptides. These activities help maintain a balanced microbial environment and reduce the risk of infections caused by pathogenic bacteria, fungi, and viruses. [34] The skin microbiome also plays a vital role in strengthening the skin barrier. Beneficial microorganisms support the structural and functional integrity of the epidermis, which serves as the body's first physical barrier against the external environment.

A healthy microbial community helps reduce excessive water loss from the skin, protects against the penetration of harmful chemicals and environmental pollutants, and limits the entry of pathogenic microorganisms and allergens. These functions are essential for maintaining normal skin hydration and preventing tissue damage. [35] Another important function of the skin microbiome is the regulation of the immune system. Skin microorganisms interact continuously with epidermal cells and immune cells, including keratinocytes, macrophages, dendritic cells, and T lymphocytes. These interactions help educate and regulate the immune system, enabling it to recognize and eliminate harmful pathogens while maintaining tolerance toward harmless microorganisms and environmental antigens. This balanced immune response is crucial for preventing chronic inflammation and maintaining skin homeostasis [53]. The skin microbiome also contributes to maintaining the skin's slightly acidic pH, commonly referred to as the "acid mantle." This acidic environment, with a pH of approximately 4.5–5.5, inhibits the growth of many pathogenic microorganisms while promoting the survival of beneficial microbial species. By helping preserve this optimal pH, the skin microbiome supports the natural defense mechanisms of the skin and enhances its resistance to infection. [36] A balanced skin microbiome is essential for the prevention of various skin disorders. Disruption of the normal microbial community, known as skin dysbiosis, has been associated with several dermatological conditions, including acne vulgaris, atopic eczema, dermatitis, fungal infections, psoriasis, and delayed wound healing. [37] Factors such as excessive use of antibiotics, harsh skin cleansers, pollution, ultraviolet radiation, poor hygiene, and underlying medical conditions can disturb the normal microbial balance and increase susceptibility to these disorders. Several microorganisms are considered important members of the normal skin microbiota. Common beneficial species include Staphylococcus epidermidis, Cutibacterium acnes (formerly Propionibacterium acnes), and Corynebacterium species. [38] These microorganisms contribute to maintaining microbial homeostasis by competing with pathogens, producing antimicrobial compounds, regulating immune responses, and preserving the integrity of the skin barrier. Maintaining a healthy skin microbiome through proper hygiene, balanced nutrition, avoidance of unnecessary antibiotic use, and appropriate skincare practices is therefore essential for preserving skin health and preventing disease.

1.3.3 Gut Microbiome

The gut microbiome is the largest and most extensively studied microbial community in the human body and is regarded as one of the most influential determinants of human health. [39] The majority of gut microorganisms reside in the large intestine, where they form a highly diverse and metabolically active ecosystem. The composition of the gut microbiome is influenced by several factors, including genetics, diet, age, lifestyle, medications, and environmental exposures. [40] The dominant bacterial phyla found in the healthy gut include Firmicutes, Bacteroidetes, Actinobacteria, and Proteobacteria. [28] These microorganisms perform numerous essential physiological functions, including fermentation of indigestible dietary carbohydrates, production of short-chain fatty acids, synthesis of vitamins such as vitamin K and certain B vitamins, regulation of host metabolism, maintenance of intestinal barrier integrity, and modulation of both innate and adaptive immune responses. [29] Because of these

diverse functions, the gut microbiome has become a major focus of biomedical research. The gut microbiome refers to the diverse community of microorganisms, including bacteria, fungi, viruses, and archaea, that inhabit the gastrointestinal tract, particularly the large intestine. [41] It represents the largest and most metabolically active microbial ecosystem in the human body and plays a fundamental role in maintaining digestive, metabolic, immune, and neurological health. The gut microbiome exists in a mutually beneficial relationship with the host, contributing to numerous physiological processes that are essential for normal growth, development, and overall well-being.




Figure: 1.3 Gut Microbiome

One of the primary functions of the gut microbiome is the digestion of food. Human digestive enzymes are unable to completely digest certain dietary components, particularly complex carbohydrates, dietary fiber, and resistant starch. Beneficial gut microorganisms ferment these indigestible substrates, allowing the body to extract additional nutrients and energy that would otherwise remain unavailable. This microbial fermentation is essential for maintaining efficient digestion and supporting intestinal health. [42] An important outcome of microbial fermentation is the production of short-chain fatty acids (SCFAs), including acetate, propionate, and butyrate. [43] These metabolites serve as a major energy source for the epithelial cells lining the colon, strengthen the intestinal barrier, regulate immune responses, reduce inflammation, and help maintain the normal physiological functions of the gastrointestinal tract. In addition, SCFAs influence glucose and lipid metabolism, thereby contributing to overall metabolic health. The gut microbiome also plays a significant role in vitamin synthesis. Several intestinal microorganisms synthesize essential vitamins that complement dietary intake, including vitamin K, vitamin B12, folate (vitamin B9), and riboflavin (vitamin B2). These vitamins are involved in numerous physiological processes such as blood coagulation, DNA synthesis, red blood cell formation, energy metabolism, and proper functioning of the nervous system. Another essential function of the gut microbiome is the regulation of metabolism. Through its influence on nutrient absorption, energy harvesting, bile acid metabolism, and hormone production, the gut microbiome helps regulate body weight, fat storage, blood glucose levels, and insulin sensitivity. [44] A balanced microbial community contributes to healthy metabolic function, whereas disturbances in microbial composition have been associated with obesity, metabolic syndrome, insulin resistance, and type 2 diabetes mellitus.

The gut microbiome also communicates extensively with the central nervous system through a bidirectional communication network known as the gut–brain axis. This complex interaction occurs through neural pathways, particularly the vagus nerve, as well as endocrine, immune, and metabolic signaling mechanisms. Gut microorganisms produce various bioactive compounds, including neurotransmitters and short-chain fatty acids, that influence brain function and behavior. Consequently, the gut microbiome has been shown to affect mood, stress responses, memory, sleep quality, and emotional well-being, and alterations in gut microbial composition have been associated with anxiety, depression, and other neuropsychiatric disorders. [45] The healthy gut microbiome contains numerous beneficial microorganisms that contribute to maintaining intestinal homeostasis. Common and well-studied bacterial genera include Lactobacillus, Bifidobacterium, Bacteroides, and Faecalibacterium. [46] These microorganisms support digestion, produce beneficial metabolites, strengthen the intestinal barrier, regulate immune responses, and inhibit the growth of pathogenic microorganisms through competitive exclusion and the production of antimicrobial substances. Disruption of the normal gut microbial community, a condition known as gut dysbiosis, can have significant health consequences. Factors such as poor dietary

habits, excessive antibiotic use, chronic stress, infections, sedentary lifestyle, and aging may alter the diversity and composition of the gut microbiome. Such disturbances have been associated with numerous diseases, including obesity, type 2 diabetes mellitus, constipation, inflammatory bowel disease, colorectal cancer, cardiovascular disease, and various mental health disorders, including anxiety and depression. [64] Therefore, maintaining a healthy gut microbiome through a balanced diet rich in dietary fiber, regular physical activity, adequate sleep, stress management, and the judicious use of antibiotics is essential for promoting digestive health, metabolic balance, immune function, and overall well-being.

1.3.4 Vaginal Microbiome

The vaginal microbiome is a specialized microbial ecosystem found within the female reproductive tract. [47] It consists primarily of bacteria, along with smaller populations of fungi, viruses, and other microorganisms that inhabit the vagina and surrounding reproductive tissues. Unlike many other body sites where microbial diversity is relatively high, the healthy vaginal microbiome is generally dominated by a limited number of beneficial Lactobacillus species. [48]




Figure: 1.4 Vaginal Microbiome

These bacteria maintain an acidic vaginal environment by producing lactic acid, hydrogen peroxide, and other antimicrobial substances that inhibit the growth of pathogenic microorganisms. [32] The composition of the vaginal microbiome changes naturally throughout different stages of life and is influenced by hormonal fluctuations, menstruation, sexual activity, pregnancy, menopause, hygiene practices, medication use, and overall health status. [33] Owing to its essential role in reproductive health, fertility, pregnancy outcomes, and protection against infections, the vaginal microbiome has become an important area of research in gynecology, reproductive medicine, and clinical microbiology. The vaginal microbiome refers to the community of microorganisms, including bacteria, fungi, viruses, and other microscopic organisms, that inhabit the vagina and contribute to the maintenance of female reproductive health. [49] In healthy women, the vaginal microbiome is typically dominated by beneficial Lactobacillus species, which establish a mutually beneficial relationship with the host. Unlike many other body sites that possess high microbial diversity, the healthy vaginal microbiome is characterized by the predominance of a few protective bacterial species. These microorganisms play essential roles in maintaining vaginal homeostasis, preventing infections, supporting fertility, and promoting overall reproductive well-being.

One of the most important functions of the vaginal microbiome is the maintenance of an acidic vaginal pH. Beneficial *Lactobacillus* species ferment glycogen released by vaginal epithelial cells to produce lactic acid, which maintains the vaginal pH within a normal acidic range of approximately 3.5–4.5. This acidic environment inhibits the growth and colonization of many pathogenic bacteria and fungi, thereby serving as one of the body's most effective natural defense mechanisms against infection. [50] The vaginal microbiome also provides significant protection against fungal infections. A healthy population of *Lactobacillus* species suppresses the excessive growth of opportunistic fungi, particularly *Candida albicans*, by producing lactic acid, hydrogen peroxide, bacteriocins, and other antimicrobial substances. These protective mechanisms help maintain microbial balance and substantially reduce the risk of vulvovaginal candidiasis, commonly known as a yeast infection Another essential function of the vaginal microbiome is its support of reproductive health. A balanced microbial community helps maintain a healthy cervical and vaginal environment that is favorable for normal reproductive function. It contributes to fertility by preserving the integrity of the reproductive tract, supporting sperm

survival under appropriate physiological conditions, and promoting successful fertilization and implantation. In addition, a healthy vaginal microbiome has been associated with improved pregnancy outcomes and overall reproductive well-being. During pregnancy, the vaginal microbiome undergoes physiological changes but generally remains dominated by *Lactobacillus* species. A stable Lactobacillus-rich microbiome provides protection against ascending infections and helps reduce the risk of pregnancy-related complications. Numerous studies have shown that maintaining a healthy vaginal microbiome may decrease the likelihood of preterm birth, vaginal infections, and complications affecting both the mother and the developing fetus. [51-55] Several Lactobacillus species are recognized as key members of the healthy vaginal microbiome. Among the most important are *Lactobacillus crispatus*, *Lactobacillus jensenii*, and *Lactobacillus gasseri*. These beneficial bacteria produce antimicrobial compounds, maintain an acidic vaginal environment, and inhibit the growth of disease-causing microorganisms, thereby preserving the normal microbial balance of the reproductive tract.

Disruption of the normal vaginal microbial community, a condition known as vaginal dysbiosis, can compromise reproductive health and increase susceptibility to infection. Factors such as antibiotic use, hormonal fluctuations, poor hygiene, unprotected sexual activity, pregnancy, menopause, and certain medical conditions can alter the composition of the vaginal microbiome. Such disturbances may result in disorders including bacterial vaginosis, vulvovaginal candidiasis (yeast infection), persistent itching, irritation, abnormal vaginal discharge, and an increased risk of sexually transmitted infections. [56-60] Therefore, maintaining a healthy vaginal microbiome through appropriate hygiene practices, balanced nutrition, responsible antibiotic use, and regular gynecological care is essential for preserving female reproductive health and preventing disease.

A. Common Beneficial Vaginal Bacteria: A healthy vaginal microbiome is predominantly composed of beneficial Lactobacillus species, which play a crucial role in maintaining vaginal homeostasis. Among the most important species are *Lactobacillus crispatus*, *Lactobacillus jensenii*, and *Lactobacillus gasseri* [61]. These bacteria produce lactic acid, hydrogen peroxide, and bacteriocins that help maintain the vaginal pH within the normal acidic range and inhibit the growth of pathogenic microorganisms. They also contribute to strengthening the local immune defense, preserving the integrity of the vaginal epithelium, and reducing the risk of bacterial and fungal infections. Their predominance is considered an important indicator of a healthy vaginal microbiome and is associated with improved reproductive health and favorable pregnancy outcomes.

B. Effects of Imbalance: Disruption of the normal vaginal microbial community, a condition known as vaginal dysbiosis, can adversely affect female reproductive health. A reduction in beneficial *Lactobacillus* species allows opportunistic and pathogenic microorganisms to proliferate, increasing the risk of infections and inflammation. Common consequences of vaginal dysbiosis include bacterial vaginosis, vulvovaginal candidiasis (yeast infection), persistent itching, irritation, abnormal vaginal discharge, and unpleasant odor. [62-65] If left untreated, recurrent microbial imbalance may increase susceptibility to sexually transmitted infections, pelvic inflammatory disease, infertility, and adverse pregnancy outcomes. Therefore, maintaining a healthy vaginal microbiome through appropriate hygiene practices, balanced nutrition, responsible antibiotic use, and regular gynecological care is essential for preserving female reproductive health.

1.3.5 Urogenital Microbiome

The urogenital microbiome refers to the microbial communities that inhabit the urinary and reproductive systems [34]. These communities include bacteria, fungi, viruses, and other microorganisms residing in the urethra, bladder, vagina, cervix, penis, prostate, and surrounding genital tissues. Their composition is influenced by host immunity, hormonal status, age, hygiene practices, and environmental factors. [66] The urogenital microbiome contributes significantly to maintaining normal pH, preventing colonization by pathogenic microorganisms, supporting immune defense, preserving urinary tract health, and influencing reproductive function and fertility.[67] A stable microbial community is therefore essential for maintaining the health of

both the urinary and reproductive systems. The urogenital microbiome refers to the community of microorganisms that inhabit the urinary and reproductive tracts of both males and females. [68-72] This microbial ecosystem consists of bacteria, fungi, viruses, and other microscopic organisms that colonize the urethra, bladder, vagina, cervix, penis, prostate, and surrounding genital tissues. These microorganisms interact closely with epithelial cells, hormones, and the immune system to maintain the normal physiological functions of the urogenital tract.

A healthy and balanced urogenital microbiome is essential for protecting against infections, supporting reproductive health, and maintaining the overall health of the urinary and reproductive systems. One of the most important functions of the urogenital microbiome is the prevention of urinary tract infections (UTIs). Beneficial microorganisms protect the urinary tract by competing with disease-causing bacteria for nutrients and attachment sites, producing antimicrobial substances, and stimulating local immune defenses. These protective mechanisms help prevent the colonization and multiplication of common uropathogens such as Escherichia coli, Klebsiella species, and Proteus species, which are among the leading causes of urinary tract infections. [73] By maintaining microbial balance, the resident microbiota significantly reduces the risk of recurrent urinary infections. The urogenital microbiome also plays a crucial role in supporting reproductive health. It helps maintain a healthy reproductive tract environment by regulating the local microbial ecosystem, preserving tissue integrity, and supporting immune homeostasis. In females, a balanced microbiome contributes to fertility, protects the reproductive organs from infection, and creates favorable conditions for conception and pregnancy.

In males, the normal microbiota may help maintain a healthy reproductive environment that supports sperm survival, motility, and function. Overall, a stable urogenital microbiome promotes healthy reproductive processes and favorable conception outcomes. [74] Several microorganisms are considered important members of the healthy urogenital microbiome. Beneficial Lactobacillus species are particularly abundant in the female reproductive tract, where they maintain an acidic environment and inhibit the growth of pathogenic microorganisms. Other common members of the normal microbiota include Corynebacterium species and non-pathogenic strains of Staphylococcus epidermidis, which contribute to microbial homeostasis, immune regulation, and protection against infections. [75] Disruption of the normal urogenital microbial community, a condition known as urogenital dysbiosis, may compromise urinary and reproductive health. Factors such as inappropriate antibiotic use, hormonal changes, poor hygiene, catheterization, chronic diseases, and immunosuppression can alter the normal microbial balance. Such disturbances may result in urinary tract infections, yeast infections, recurrent genital infections, chronic inflammation, and, in some individuals, fertility problems or infertility. [76] Therefore, maintaining a healthy urogenital microbiome through proper personal hygiene, adequate hydration, balanced nutrition, safe sexual practices, and the judicious use of antibiotics is essential for preserving the health and normal function of both the urinary and reproductive systems.

1.3.6 Nasal Microbiome

The nasal microbiome, also referred to as the nose microbiome, is the diverse community of microorganisms that inhabit the nostrils, nasal cavity, and upper respiratory tract. [37] This microbial ecosystem includes bacteria, fungi, viruses, and, to a lesser extent, archaea that coexist with the host in a dynamic and balanced relationship. These microorganisms colonize the mucosal surfaces of the nose and interact continuously with nasal epithelial cells, mucus, and components of the innate and adaptive immune systems. [38] Although the microbial density of the nasal cavity is lower than that of the gastrointestinal tract or oral cavity, it harbors a highly specialized community that plays a crucial role in maintaining respiratory health. The nasal cavity serves as the primary gateway through which inhaled air enters the body. Every day, it is exposed to a wide range of environmental agents, including dust particles, allergens, pollutants, and potentially pathogenic microorganisms. The nasal microbiome contributes significantly to the body's first line of defense by creating a protective barrier against these external threats. [79] Beneficial microorganisms compete with harmful microbes for nutrients and attachment sites on the nasal mucosa, thereby reducing the likelihood of

pathogen colonization. Many resident bacteria also produce antimicrobial compounds, such as bacteriocins and other inhibitory substances, which suppress the growth of disease-causing organisms and help maintain microbial balance. In addition to protecting against pathogens, the nasal microbiome plays an important role in regulating local immune responses. Resident microorganisms stimulate the production of antimicrobial peptides and influence the activity of immune cells, enabling the immune system to respond effectively to harmful pathogens while avoiding unnecessary inflammation against harmless environmental substances. [80]




Figure: 1.5 Nasal Microbiome

This interaction helps maintain the integrity of the nasal mucosal barrier and contributes to immune homeostasis within the upper respiratory tract. The composition of the nasal microbiome varies among individuals and is influenced by several factors, including age, genetics, environmental exposure, seasonal changes, geographical location, antibiotic use, smoking, air pollution, and underlying health conditions. [37,38] Healthy individuals commonly harbor bacterial genera such as *Staphylococcus*, *Corynebacterium*, *Dolosigranulum*, *Moraxella*, and *Cutibacterium*, many of which contribute to maintaining a stable microbial environment and preventing colonization by opportunistic pathogens. Disruption of the normal nasal microbial community, a condition known as dysbiosis, has been associated with several respiratory disorders. An imbalance in the nasal microbiome may increase susceptibility to recurrent upper respiratory tract infections, chronic rhinosinusitis, allergic rhinitis, asthma, and colonization by pathogenic bacteria such as *Staphylococcus aureus* and *Streptococcus pneumonia*. Emerging research also suggests that the nasal microbiome may influence the severity of viral respiratory infections by modulating local immune responses and maintaining mucosal barrier function. With advances in high-throughput sequencing technologies, the nasal microbiome has become an important area of research in microbiology, immunology, and respiratory medicine. Understanding the composition and function of this microbial community may contribute to the development of novel preventive and therapeutic approaches, including probiotic-based interventions, microbiome-targeted therapies, and personalized treatments for respiratory diseases. Overall, a healthy and balanced nasal microbiome is essential for maintaining upper respiratory tract health, supporting immune defense, and protecting the body against inhaled pathogens and environmental challenges.

1.3.7 Other Microbial Habitats

In addition to the well-characterized microbiomes of the gut, oral cavity, skin, vagina, urogenital tract, and nasal cavity, several other regions of the human body harbor their own unique and specialized microbial communities. Although these microbiomes generally contain fewer microorganisms than the gastrointestinal tract, they play essential roles in maintaining local tissue health, regulating immune responses, and protecting against pathogenic microorganisms. [40] Each microbial habitat is shaped by specific environmental conditions such as oxygen availability, moisture, pH, temperature, nutrient supply, and host immune activity, resulting in distinct microbial compositions and biological functions. The lower respiratory tract, once considered sterile, is now known to contain a diverse but relatively low-density microbial community.

Healthy lungs are inhabited by microorganisms that originate primarily from the upper respiratory tract through microaspiration and inhalation. These resident microbes interact closely with the pulmonary immune system, helping to regulate inflammatory responses and maintain respiratory health. Disturbances in the lung microbiome have been associated with chronic respiratory diseases such as asthma, chronic obstructive pulmonary disease (COPD), cystic fibrosis, and pneumonia The ocular microbiome, found mainly on the conjunctiva and surrounding ocular surfaces,

consists of a small but stable population of microorganisms adapted to survive in an environment continuously protected by tears and antimicrobial proteins. Common bacterial genera include *Staphylococcus*, *Corynebacterium*, and *Cutibacterium*. These microorganisms contribute to maintaining eye health by preventing colonization by pathogenic bacteria, supporting local immune defenses, and preserving the integrity of the ocular surface. Alterations in the ocular microbiome have been linked to conditions such as conjunctivitis, keratitis, blepharitis, and dry eye disease. The external ear canal also possesses a characteristic microbiome composed primarily of bacteria and fungi that thrive in the warm, slightly moist environment of the ear. These microorganisms help maintain microbial balance by competing with potential pathogens and contributing to the natural defense mechanisms of the ear. Disruption of this microbial community may increase susceptibility to infections such as otitis externa and other inflammatory conditions of the ear. [41]

Several other mucosal surfaces, including the esophagus, stomach, and parts of the reproductive and urinary systems, also harbor specialized microbial communities. Although microbial density varies considerably across these locations, the resident microorganisms contribute to nutrient metabolism, maintenance of epithelial barrier integrity, regulation of immune function, and protection against opportunistic pathogens. Advances in molecular sequencing technologies have revealed that even body sites once believed to be sterile possess complex microbial ecosystems that influence normal physiology and disease susceptibility. Collectively, these diverse microbial habitats form an interconnected network that interacts with the host through metabolic, immunological, and biochemical pathways. Rather than functioning independently, microbial communities at different body sites communicate indirectly through immune signaling and microbial metabolites, contributing to systemic health and physiological homeostasis. Ongoing research continues to uncover the important roles of these less-studied microbiomes in human health, highlighting their potential as targets for novel diagnostic tools, preventive strategies, and microbiome-based therapies. Together, the microbiomes of different body sites represent an essential component of the human body, contributing significantly to immune regulation, tissue function, and protection against disease.

1.4 FUNCTIONS OF THE MICROBIOME

The human microbiome performs a wide range of biological functions that are essential for maintaining normal physiological processes and overall health. Far from being passive inhabitants of the human body, microorganisms actively participate in digestion, metabolism, immune regulation, protection against infectious agents, vitamin synthesis, and communication with various organ systems. The close interaction between the microbiome and the human host demonstrates that these microorganisms are indispensable partners in maintaining health and preventing disease.

A. Digestion and Nutrient Absorption

One of the most important functions of the human microbiome is its role in digestion and nutrient absorption. The gut microbiome, particularly the microorganisms residing in the large intestine, possesses metabolic capabilities that complement those of the human digestive system. Many complex carbohydrates, dietary fibers, and resistant starches cannot be completely digested by human digestive enzymes. These compounds are fermented by intestinal microorganisms, producing valuable metabolites that benefit the host. [78] During this fermentation process, beneficial bacteria generate short-chain fatty acids (SCFAs) primarily acetate, propionate, and butyrate, which serve several important physiological functions. [79] Butyrate acts as the primary energy source for colonocytes, the cells lining the large intestine, helping maintain the integrity of the intestinal barrier. SCFAs also strengthen the gut epithelial barrier, regulate intestinal permeability, reduce inflammation, and contribute to maintaining a healthy intestinal environment. [80] In addition to fermenting dietary fiber, the microbiome enhances the digestion and absorption of essential nutrients, including vitamins, minerals, and other bioactive compounds, thereby improving the nutritional value obtained from food. [81]

B. Immune System Modulation

The human microbiome plays a central role in the development, maturation, and regulation of the

immune system. Throughout life, resident microorganisms continuously interact with immune cells, enabling the body to establish appropriate immune responses against harmful pathogens while maintaining tolerance toward harmless microorganisms and dietary antigens. [82] Gut microorganisms stimulate the development and function of immune cells such as T lymphocytes and B lymphocytes, which are essential components of adaptive immunity. [83] They also influence the production of antibodies, cytokines, and antimicrobial peptides that strengthen host defense mechanisms. A healthy and balanced microbial community promotes immune tolerance, preventing excessive inflammatory responses that may damage healthy tissues. Consequently, the microbiome contributes to reducing the risk of chronic inflammation, autoimmune diseases, allergies, and other immune-mediated disorders. [84]

C. Protection Against Pathogens

Another essential function of the microbiome is protecting the body from harmful microorganisms through a process known as colonization resistance. Beneficial microbes compete with pathogenic organisms for nutrients and attachment sites on epithelial surfaces, making it difficult for harmful microorganisms to establish themselves within the body. [85] In addition to competitive exclusion, many beneficial microorganisms produce antimicrobial compounds such as bacteriocins, organic acids, and hydrogen peroxide that directly inhibit the growth of pathogenic bacteria, fungi, and other microbes. [86] The microbiome also supports the integrity of mucosal barriers, particularly in the gastrointestinal tract, by maintaining tight junctions between intestinal epithelial cells and promoting mucus production. These protective mechanisms reduce the likelihood that pathogens will penetrate the intestinal lining, enter the bloodstream, and cause systemic infections. [87] Through these coordinated actions, the microbiome serves as an important component of the body's innate defense system and contributes significantly to resistance against infectious diseases. [88]

D. Vitamin Synthesis

Certain members of the human microbiome are capable of synthesizing essential vitamins that contribute to normal physiological functions. Beneficial intestinal bacteria produce vitamin K and several B-complex vitamins, including biotin, folate, riboflavin, and cobalamin, which supplement dietary intake and support numerous metabolic processes. [89] These vitamins are indispensable for blood coagulation, red blood cell formation, nervous system function, DNA synthesis, cellular metabolism, and energy production. Although dietary intake remains the primary source of these nutrients, microbial synthesis provides an additional physiological benefit that contributes to maintaining nutritional balance and overall health. [90]

E. Metabolic Functions

The microbiome plays an integral role in regulating host metabolism. It participates in glucose metabolism, lipid metabolism, amino acid metabolism, and the transformation of bile acids, thereby influencing multiple metabolic pathways. Microbial metabolites act as signaling molecules that communicate with host tissues and regulate energy balance, fat storage, insulin sensitivity, and glucose homeostasis. Disruption of the normal microbial composition, a condition referred to as dysbiosis, has been associated with several metabolic disorders, including obesity, type 2 diabetes mellitus, metabolic syndrome, non-alcoholic fatty liver disease, and cardiovascular disease. Alterations in microbial diversity and function may contribute to chronic low-grade inflammation, impaired metabolism, and abnormal energy utilization, emphasizing the importance of maintaining a healthy microbiome for metabolic health.

F. Mental Health and the Gut–Brain Axis

Recent advances in microbiome research have revealed a close relationship between the gastrointestinal microbiome and the central nervous system, commonly known as the gut–brain axis. This bidirectional communication network enables continuous interaction between intestinal microorganisms and the brain through neural, endocrine, immune, and metabolic pathways. The vagus nerve represents one of the principal neural pathways linking the gut and the brain. In addition, intestinal microorganisms produce various neurotransmitters and neuroactive compounds, including serotonin, gamma-aminobutyric acid (GABA), dopamine

precursors, and short-chain fatty acids, which influence brain function and behavior. Microbial metabolites also regulate immune signaling and inflammatory responses that can affect neurological health. Growing evidence suggests that alterations in the composition and diversity of the gut microbiome may influence emotional well-being, stress responses, cognitive function, memory, sleep quality, and behavior. Dysbiosis has been associated with an increased risk of anxiety, depression, autism spectrum disorders, and several neurodegenerative diseases, although the underlying mechanisms continue to be investigated. These findings highlight the microbiome as an important regulator of both physical and mental health and underscore its potential as a target for future therapeutic interventions.

1.5 CONCLUSION

The human microbiome plays a fundamental and indispensable role in maintaining overall human health and physiological balance. It contributes significantly to essential biological processes such as digestion, immune system development and regulation, and the synthesis of vital vitamins required for normal body functioning. Through these functions, the microbiome supports energy production, nutrient utilization, and protection against harmful pathogens, thereby acting as an integral component of human biology. At the same time, disturbances in microbial balance, commonly referred to as dysbiosis, can lead to several health challenges. These include increased susceptibility to infections, metabolic disorders, inflammatory conditions, and the growing global concern of antibiotic resistance. Such imbalances highlight the delicate nature of host–microbe interactions and the importance of maintaining microbial stability for optimal health. Ongoing scientific research in microbiome science continues to expand our understanding of its complex roles in both health and disease. With advancements in sequencing technologies and molecular biology, researchers are uncovering new microbial functions and their implications for human physiology. These discoveries are paving the way for innovative therapeutic strategies, including microbiome-based treatments, probiotics, prebiotics, and personalized medicine approaches. A comprehensive understanding of the human microbiome is therefore essential for advancing modern healthcare. Maintaining a healthy microbial balance through proper diet, lifestyle choices, and evidence-based medical practices is increasingly recognized as a key factor in disease prevention and overall well-being. In conclusion, the human microbiome should be viewed as a vital partner in human life rather than a passive presence. These microbial communities actively participate in digestion, immunity, metabolism, mental health regulation, and protection against disease. Their composition is influenced by diet, environment, lifestyle, and medical interventions. When balanced, the microbiome promotes health and resilience; when disrupted, it contributes to a wide range of diseases. Modern science increasingly recognizes that humans are not isolated organisms but complex superorganisms composed of both human and microbial cells functioning together as a single integrated ecosystem. As research progresses, the microbiome is reshaping our understanding of biology and medicine, offering promising opportunities for disease prevention, improved therapies, and personalized healthcare. Ultimately, the study of the human microbiome holds immense potential for improving global health outcomes and represents one of the most transformative areas of biomedical science for future generations.

1.6 REFERENCES

1. Human Microbiome Project Consortium. Structure, function and diversity of the healthy human microbiome. Nature. 2012;486:207–214.
2. Marchesi JR, Ravel J. The vocabulary of microbiome research: a proposal. Microbiome. 2015;3:31.
3. Turnbaugh PJ, Ley RE, Hamady M, Fraser-Liggett CM, Knight R, Gordon JI. The human microbiome project. Nature. 2007;449:804–810.
4. David LA, Maurice CF, Carmody RN, et al. Diet rapidly and reproducibly alters the human gut microbiome. Nature. 2014;505:559–563.
5. Turnbaugh PJ, Ley RE, Hamady M, et al. The human microbiome project. Nature. 2007;449:804–810.
6. Sender R, Fuchs S, Milo R. Revised estimates for the number of human and bacteria cells in the body. Cell. 2016;164(3):337–340.
7. Human Microbiome Project Consortium. Structure, function and diversity of the healthy human microbiome. Nature. 2012;486:215–221.
8. Marchesi JR, Ravel J. Microbiome: vocabulary and concepts. Microbiome. 2015;3:31.
9. Cho I, Blaser MJ. The human microbiome: at the interface of health and disease. Nat Rev Genet.

2012;13:260–270.
10. Belkaid Y, Hand TW. Role of the microbiota in immunity and inflammation. Cell. 2014;157:121–141.
11. Flint HJ, Scott KP, Duncan SH, Louis P, Forano E. Microbial degradation of complex carbohydrates in the gut. Nat Rev Gastroenterol Hepatol. 2012;9:577–589.
12. Sommer F, Bäckhed F. The gut microbiota—masters of host development and physiology. Nat Rev Microbiol. 2013;11:227–238.
13. Dobell C. Antonie van Leeuwenhoek and His Little Animals. New York: Dover Publications; 1960.
14. Pasteur L. Germ theory of disease (historical scientific works). Paris: French Academy of Sciences; 19th century.
15. Cho I, Blaser MJ. The human microbiome: at the interface of health and disease. Nat Rev Genet. 2012;13:260–270.
16. Human Microbiome Project Consortium. Nature. 2012;486:207–214.
17. Sender R, Fuchs S, Milo R. Cell. 2016;164:337–340.
18. Turnbaugh PJ, Ley RE, Hamady M, et al. Nature. 2007;449:804–810.
19. Dewhirst FE, Chen T, Izard J, et al. The human oral microbiome. J Bacteriol. 2010;192:5002–5017.
20. Kilian M, Chapple ILC, Hannig M, et al. The oral microbiome – an update. Cell Host Microbe. 2016;19:459–470.
21. Wade WG. The oral microbiome in health and disease. J Oral Microbiol. 2013;5:22492.
22. Hajishengallis G. Periodontitis: from microbial dysbiosis to host modulation. Nat Rev Immunol. 2015;15:30–44.
23. Grice EA, Segre JA. The skin microbiome. Nat Rev Microbiol. 2011;9:244–253.
24. Byrd AL, Belkaid Y, Segre JA. The human skin microbiome. Nat Rev Microbiol. 2018;16:143–155.
25. Belkaid Y, Segre JA. Dialogue between skin microbiota and immunity. Science. 2014;346:954–959.
26. Flint HJ et al. Nat Rev Gastroenterol Hepatol. 2012;9:577–589.
27. David LA et al. Nature. 2014;505:559–563.
28. Ley RE et al. Obesity and gut microbiota. Cell. 2006;124:837–848.
29. Sommer F, Bäckhed F. Nat Rev Microbiol. 2013;11:227–238.
30. Ravel J, Gajer P, Abdo Z, et al. Vaginal microbiome of reproductive-age women. PNAS. 2011;108:4680–4687.
31. Ma B, Forney LJ, Ravel J. Vaginal microbiome. Nat Rev Microbiol. 2012;10:457–469.
32. Boris S, Barbés C. Role of lactobacilli in vaginal health. FEMS Immunol Med Microbiol. 2000;27:263–267.
33. Brotman RM. Vaginal microbiome and bacterial vaginosis. Clin Microbiol Rev. 2011;24:235–257.
34. Whiteside SA et al. The urogenital microbiota. Nat Rev Urol. 2015;12:81–90.
35. Brubaker L, Wolfe AJ. The urinary microbiota. Nat Rev Urol. 2017;14:73–81.
36. Kline KA, Lewis AL. Microbiota and urinary tract infection. Nat Rev Microbiol. 2016;14:523–534.
37. Man WH, de Steenhuijsen Piters WAA, Bogaert D. The microbiota of the respiratory tract. Eur Respir Rev. 2017;26:170069.
38. Yan M et al. Nasal microbiome studies. Cell Host Microbe. 2013;14:631–640.
39. Biswas K et al. Upper respiratory microbiome. Int Forum Allergy Rhinol. 2015;5:871–878.
40. Human Microbiome Project Consortium. Nature. 2012;486:215–221.
41. Cho I, Blaser MJ. The human microbiome: at the interface of health and disease. Nat Rev Genet. 2012;13:260–270.
42. Dewhirst FE, Chen T, Izard J, et al. The human oral microbiome. J Bacteriol. 2010;192:5002–5017.
43. Kilian M, Chapple ILC, Hannig M, et al. The oral microbiome—an update. Cell Host Microbe. 2016;19:459–470.
44. Wade WG. The oral microbiome in health and disease. J Oral Microbiol. 2013;5:22492.
45. Marsh PD. Dental plaque as a biofilm and a microbial community. Adv Dent Res. 2018;29:54–60.
46. Hajishengallis G. Periodontitis: from microbial dysbiosis to host modulation. Nat Rev Immunol. 2015;15:30–44.
47. Lamont RJ, Koo H, Hajishengallis G. The oral microbiota: dynamic communities and host interactions. Oral Microbiol Immunol. 2010;25:319–325.
48. Kilian M, et al. Cell Host Microbe. 2016;19:459–470.
49. Wade WG. J Oral Microbiol. 2013;5:22492.
50. Grice EA, Segre JA. The skin microbiome. Nat Rev Microbiol. 2011;9:244–253.
51. Byrd AL, Belkaid Y, Segre JA. The human skin microbiome. Nat Rev Microbiol. 2018;16:143–155.
52. Belkaid Y, Segre JA. Dialogue between skin microbiota and immunity. Science. 2014;346:954–959.
53. Naik S, Bouladoux N, Wilhelm C, et al. Compartmentalized control of skin immunity. Nature. 2012;489:423–427.
54. Sanford JA, Gallo RL. Functions of the skin microbiota. Semin Immunol. 2013;25:370–377.
55. Kong HH, Segre JA. Skin microbiome and disease. J Invest Dermatol. 2012;132:949–954.
56. Byrd AL, et al. Nat Rev Microbiol. 2018;16:143–155.
57. Flint HJ, Scott KP, Duncan SH, Louis P, Forano E. Microbial degradation of complex carbohydrates.

Nat Rev Gastroenterol Hepatol. 2012;9:577–589.
58. David LA, Maurice CF, Carmody RN, et al. Diet rapidly alters the gut microbiome. Nature. 2014;505:559–563.
59. Louis P, Flint HJ. Formation of propionate and butyrate. Gut Microbes. 2014;5:361–372.
60. Hill MJ. Intestinal bacteria and vitamin synthesis. Gut. 1997;41:289–295.
61. Tilg H, Moschen AR. Microbiota and metabolic disorders. Gut. 2014;63:1466–1478.
62. Cryan JF, O'Riordan KJ, Cowan CSM, et al. The microbiota–gut–brain axis. Physiol Rev. 2019;99:1877–2013.
63. Qin J, Li R, Raes J, et al. A human gut microbial gene catalogue. Nature. 2010;464:59–65.
64. Cho I, Blaser MJ. The microbiome in health and disease. Nat Rev Genet. 2012;13:260–270.
65. Ravel J, Gajer P, Abdo Z, et al. Vaginal microbiome in reproductive-age women. PNAS. 2011;108:4680–4687.
66. Ma B, Forney LJ, Ravel J. Vaginal microbiome. Nat Rev Microbiol. 2012;10:457–469.
67. Brotman RM. Vaginal microbiome and bacterial vaginosis. Clin Microbiol Rev. 2011;24:235–257.
68. Ravel J, et al. PNAS. 2011;108:4680–4687.
69. Ma B, et al. Nat Rev Microbiol. 2012;10:457–469.
70. Boris S, Barbés C. Role of lactobacilli in vaginal health. FEMS Immunol Med Microbiol. 2000;27:263–267.
71. Brotman RM. Clin Microbiol Rev. 2011;24:235–257.
72. Whiteside SA, Razvi H, Dave S, Reid G, Burton JP. The microbiota of the urinary tract. Nat Rev Urol. 2015;12:81–90.
73. Brubaker L, Wolfe AJ. The female urinary microbiota. Nat Rev Urol. 2017;14:73–81.
74. Kline KA, Lewis AL. Gram-positive uropathogens. Nat Rev Microbiol. 2016;14:523–534.
75. Whiteside SA, et al. Nat Rev Urol. 2015;12:81–90.
76. Brubaker L, Wolfe AJ. Nat Rev Urol. 2017;14:73–81.
77. Human Microbiome Project Consortium. Nature. 2012;486:207–214.
78. Flint HJ, et al. Nat Rev Gastroenterol Hepatol. 2012;9:577–589.
79. Louis P, Hold GL, Flint HJ. Microbial metabolism of dietary fibre. Gut Microbes. 2014;5:361–372.
80. Koh A, De Vadder F, Kovatcheva-Datchary P, Bäckhed F. From dietary fibre to host physiology. Cell. 2016;165:1332–1345.
81. Rowland I, Gibson G, Heinken A, et al. Gut microbiota and nutrition. Eur J Nutr. 2018;57:1–24.
82. Belkaid Y, Hand TW. Role of microbiota in immunity. Cell. 2014;157:121–141.
83. Hooper LV, Littman DR, Macpherson AJ. Interactions between microbiota and immunity. Science. 2012;336:1268–1273.
84. Honda K, Littman DR. The microbiota in adaptive immune homeostasis. Nature. 2016;535:75–84.
85. Buffie CG, Pamer EG. Microbiota-mediated colonization resistance. Nat Rev Immunol. 2013;13:790–801.
86. Kamada N, Chen GY, Inohara N, Núñez G. Control of pathogens by microbiota. Nat Immunol. 2013;14:685–690.
87. Lawley TD, Walker AW. Intestinal colonization resistance. Nat Rev Microbiol. 2013;11:639–646.
88. Sommer F, Bäckhed F. The gut microbiota. Nat Rev Microbiol. 2013;11:227–238.
89. Hill MJ. Intestinal flora and vitamin production. Gut. 1997;41:289–295.
90. LeBlanc JG, Milani C, de Giori GS, et al. Bacteria as vitamin producers. Curr Opin Biotechnol. 2013;24:160–165.